	Type	Hits	Search Text	DBs
1	IS&R	16	(("6461019") or ("6,344,716") or ("6,265,234") or ("6,160,948") or ("6,053,628") or ("5,639,157") or ("5,558,422") or ("5,495,147") or ("5,363,470") or ("5,313,187") or ("5,300,864") or ("5,226,709") or ("5,104,608") or ("4,780,798") or ("4,777,571") or ("4,675,575") or ("3,564,233")).PN.	USPAT
2	BRS	10557	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2337	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	92121	(transparent or translucent) with (cover or casing or housing or envelop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	171	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	18	S3 and S4 and "40"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	77	S3 and S4 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	144750	light emitting diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	80	S5 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	34	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	4	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	"5410460".pn. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	"3873880".pn. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	0	"5567045".pn. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
15	IS&R	7	((("3873880") or ("5410460") or ("6846097") or ("4989120") or ("4682079") or ("5343375") or ("5567045")).PN.	USPAT
16	BRS	16	("3873880" or "5410460" or "6846097" or "4989120" or "4682079" or "5343375" or "5567045").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	7	("3873880" or "5410460" or "6846097" or "4989120" or "4682079" or "5343375" or "5567045").pn.	USPAT
18	BRS	107643	(current or volt$4 or power) (limit$4 or regulat$4)	USPAT
19	BRS	11	S18 and S5	USPAT
20	BRS	1	S18 and S17	USPAT
21	BRS	11	S19 or S20	USPAT
22	IS&R	0	("003and8").PN.	USPAT
23	BRS	321	S3 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	17	S23 and (first (wire or lead))and (second (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	17	S24 or S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	6	S23 and (first (wire or lead))and (second (wire or lead)) and (third (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	11	S25 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	144750	light emitting diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	107643	(current or volt$4 or power) (limit$4 or regulat$4)	USPAT
30	BRS	92121	(transparent or translucent) with (cover or casing or housing or envelop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	2337	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	10557	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	321	S32 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
34	BRS	17	S34 and (first (wire or lead))and (second (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	6	S34 and (first (wire or lead))and (second (wire or lead)) and (third (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	7	("3873880" or "5410460" or "6846097" or "4989120" or "4682079" or "5343375" or "5567045").pn.	USPAT
37	BRS	2	S28 and S29	USPAT
38	IS&R	1	("6601965").PN.	USPAT
39	IS&R	5	(("6601965") or ("5934784") or ("5567037") or ("6578981") or ("6296364")).PN.	USPAT
40	BRS	5	("4262324" | "4779172" | "5477433" | "6122933" | "6296364").PN.	US-PGPUB; USPAT; USOCR
41	BRS	2	("6601965").URPN.	USPAT
42	BRS	7	("3805047" | "4076976" | "4101955" | "4779172" | "4930052" | "5477433" | "6296364").PN.	US-PGPUB; USPAT; USOCR
43	BRS	1	("6578981").URPN.	USPAT
44	BRS	1	("6578981").URPN.	USPAT
45	BRS	9	("3755663" | "3805047" | "4076976" | "4096552" | "4101955" | "4779172" | "4930052" | "5201578" | "5477433").PN.	US-PGPUB; USPAT; USOCR
46	BRS	3	("6296364").URPN.	USPAT
47	BRS	62	("1184396" | "2020484" | "2149170" | "2546945" | "2572760" | "2670570" | "2724769" | "2798148" | "3211160" | "3441032" | "3450872" | "3501628" | "3549878" | "3564583" | "3675005" | "3751769" | "3758771" | "3766376" | "3866035" | "3984674" | "4002893" | "4009381" | "4173035" | "4296459" | "4597198" | "4604760" | "4611416" | "4719544" | "4748366" | "4779172" | "4812953" | "4848009" | "4903176" | "4912944" | "4930052" | "4998186" | "5036442" | "5054778" | "5081568" | "5128843" | "5186458" | "5188447" | "5209000" | "5236383" | "5649758" | "D182102" | "D335019").PN.	US-PGPUB; USPAT; USOCR
48	BRS	2	("5934784").URPN.	USPAT
49	BRS	14	("3609475" | "3812406" | "4047075" | "4774642" | "4942744" | "5018053" | "5066889" | "5113325" | "5140220" | "5160200" | "5253149" | "5278734" | "5296782" | "5440461").PN.	US-PGPUB; USPAT; USOCR
50	BRS	19	("5567037").URPN.	USPAT
51	BRS	52	"4682079"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
52	IS&R	9	(("4682079") or ("5410460") or ("5934784") or ("6296364") or ("6578981") or ("5567045") or ("3873880") or ("6610965") or ("5567037")).PN.	USPAT
53	IS&R	9	(("4682079") or ("5410460") or ("5934784") or ("6296364") or ("6578981") or ("5567045") or ("3873880") or ("6601965") or ("5567037")).PN.	USPAT
54	BRS	5	("1481719" | "3873880" | "4989120" | "5021935").PN.	US-PGPUB; USPAT; USOCR
55	BRS	3	("5410460").URPN.	USPAT
56	BRS	9	("2760120" | "3873880" | "3982173" | "4253045" | "4293799" | "4450382" | "4500795" | "4570108").PN.	US-PGPUB; USPAT; USOCR
57	BRS	36	("4682079").URPN.	USPAT
58	BRS	22	("3873880").URPN.	USPAT
59	BRS	5	("4262324" | "4779172" | "5477433" | "6122933" | "6296364").PN.	US-PGPUB; USPAT; USOCR
60	BRS	2	("6601965").URPN.	USPAT
61	BRS	7	("3805047" | "4076976" | "4101955" | "4779172" | "4930052" | "5477433" | "6296364").PN.	US-PGPUB; USPAT; USOCR
62	BRS	1	("6578981").URPN.	USPAT
63	BRS	9	("3755663" | "3805047" | "4076976" | "4096552" | "4101955" | "4779172" | "4930052" | "5201578" | "5477433").PN.	US-PGPUB; USPAT; USOCR
64	BRS	3	("6296364").URPN.	USPAT
65	BRS	62	("1184396" | "2020484" | "2149170" | "2546945" | "2572760" | "2670570" | "2724769" | "2798148" | "3211160" | "3441032" | "3450872" | "3501628" | "3549878" | "3564583" | "3675005" | "3751769" | "3758771" | "3766376" | "3866035" | "3984674" | "4002893" | "4009381" | "4173035" | "4296459" | "4597198" | "4604760" | "4611416" | "4719544" | "4748366" | "4779172" | "4812953" | "4848009" | "4903176" | "4912944" | "4930052" | "4998186" | "5036442" | "5054778" | "5081568" | "5128843" | "5186458" | "5188447" | "5209000" | "5236383" | "5649758" | "D182102" | "D335019").PN.	US-PGPUB; USPAT; USOCR
66	BRS	2	("5934784").URPN.	USPAT
67	BRS	14	("3609475" | "3812406" | "4047075" | "4774642" | "4942744" | "5018053" | "5066889" | "5113325" | "5140220" | "5160200" | "5253149" | "5278734" | "5296782" | "5440461").PN.	US-PGPUB; USPAT; USOCR
68	BRS	145366	light emitting diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
69	BRS	1712	(transparent or translucent) with (cover or globe) with ((top with bottom) or halves)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	122	S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	1	S68 and S69 and (power (cord or wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	(S68 and S69) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	6	(S68 and S69) and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	6470	((light emitting diod$4) or (light or lamp)) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	8	S69 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	1996	light string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	302	(light string) and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	(light string) and S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	8	(light string) and S68 and (socket with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	24	("1728938" | "2277532" | "2533222" | "3214579" | "3335389" | "3387255" | "3458849" | "3609643" | "3662381" | "4675575" | "4682079" | "4777573" | "4870547" | "4984999" | "5495147" | "5593324" | "5639246").PN.	US-PGPUB; USPAT; USOCR
81	BRS	615	40/554,564.ccls.	US-PGPUB; USPAT; USOCR
82	BRS	4	S81 and S74	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
83	BRS	24	("0960466" | "1636141" | "1832576" | "2248883" | "2474356" | "3500036" | "3692993" | "3731081" | "4774646" | "4995181" | "5031083" | "5067061" | "5161882" | "5404279" | "5410459" | "5416678" | "5442531" | "5645343").PN.	US-PGPUB; USPAT; USOCR
84	BRS	5	("5772312").URPN.	USPAT
85	BRS	284	S74 and "315"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	298	(light emitting diod$4) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	40	S86 and "315"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	6470	(light or lamp) with string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	40	S87 and "315"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	284	S88 and "315"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	244	S88 and "315"/$.ccls. not S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	6	("2367905" | "2605446" | "3458756").PN.	US-PGPUB; USPAT; USOCR
93	BRS	6	("4233543").URPN.	USPAT
94	BRS	9	("2717336" | "3283136" | "3384774" | "3500126" | "3631318").PN.	US-PGPUB; USPAT; USOCR
95	BRS	10581	362/582,570,571,565-568,103-108,122,123,227,235,237,238,249,251,252,276,333,331,334,363,437,405,406,800,806-808,812,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1298	S95 and ((cover or housing or globe or (socket cover)) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	29	(socket cover) with (transparent or translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	29	(socket (cover or globe)) with (transparent or translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
99	BRS	345	(socket with (cover or globe)) with (transparent or translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	28	S99 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	494218	(light emit$6 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	460	((light emit$6 diod$4) or "LED") string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	179	((light emit$6 diod$4) or "LED") string and (cover or casing or shell or envelop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	281	S102 not S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	494521	(light emit$6 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	14844	((light emit$6 diod$4) or "LED") and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	82	((light emit$6 diod$4) or "LED") and string and (power regulator) and "AC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	2	((light emit$6 diod$4) or "LED") and string and (power regulator) and "AC" and ((envelop$4 or casing or housing or globe or cover) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	13425	((light emit$6 diod$4) or "LED") and ((envelop$4 or casing or housing or globe or cover) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	88	((light emit$6 diod$4) or "LED") and (socket with(envelop$4 or casing or housing or globe or cover) with (transparent or translucent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	170	S108 or S109 or S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	118	((light emit$6 diod$4) or "LED") and string and (power regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
113	BRS	461	((light emit$6 diod$4) or "LED") string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	2	S113 and (power regulator) and "AC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	128	S113 and "AC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	91	S113 and ("AC" with power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	10	("20030185020" | "4970812" | "5027112" | "5268828" | "5722760" | "5767822" | "5900850" | "6677918" | "6698121" | "6729054").PN.	US-PGPUB; USPAT; USOCR
118	BRS	0	("6851209").URPN.	USPAT
119	BRS	1	S113 and (power regulator) and ("AC" power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	0	("2003/0234621").URPN.	USPAT
121	BRS	0	("2003/0234621").URPN.	USPAT
122	BRS	14	("4136379" | "4748545" | "4941072" | "5103382" | "5367441" | "5503637" | "5607227" | "5655830" | "5688041" | "5753996" | "5845037" | "5860730" | "5890794" | "6158882").PN.	US-PGPUB; USPAT; USOCR
123	BRS	20	("6283612").URPN.	USPAT
124	BRS	4	("4271458" | "4984142" | "6135612" | "6283612").PN.	US-PGPUB; USPAT; USOCR
125	BRS	0	("6536915").URPN.	USPAT
126	BRS	20	("6283612").URPN.	USPAT
127	BRS	109	S113 and "362"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	6	("6158882" | "6283612" | "6354714" | "6394623" | "6478449" | "6565251").PN.	US-PGPUB; USPAT; USOCR
129	BRS	2	("6682205").URPN.	USPAT
130	BRS	1	("5709457").PN.	US-PGPUB; USPAT; USOCR
131	BRS	4	("5887967").URPN.	USPAT
132	BRS	75	S113 and "315"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
133	BRS	1707	((light emit$6 diod$4) or "LED") and string and socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	3	((light emit$6 diod$4) or "LED") and (socket cover) and string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	8	("3692993" | "4089042" | "5099621" | "5311414" | "5343375" | "5404279" | "5559681" | "5815068").PN.	US-PGPUB; USPAT; USOCR
136	BRS	8	("3692993" | "4089042" | "5099621" | "5311414" | "5343375" | "5404279" | "5559681" | "5815068").PN.	US-PGPUB; USPAT; USOCR
137	BRS	7	("6183104").URPN.	USPAT
138	BRS	95	((light emit$6 diod$4) or "LED") and (socket cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
139	BRS	4	((light emit$6 diod$4) or "LED") bulb socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
140	BRS	0	((light emit$6 diod$4) or "LED") bulb with socket with cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
141	BRS	43	((light emit$6 diod$4) or "LED") bulb with socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
142	IS&R	2	(("6227679") or ("6371636")).PN.	USPAT
143	BRS	10	("5561346" | "5726535" | "5774098" | "5803579" | "5806965" | "5848837" | "5850126" | "5865529" | "5931570" | "5947588").PN.	US-PGPUB; USPAT; USOCR
144	BRS	18	("6227679").URPN.	USPAT
145	IS&R	1	("4675575").PN.	USPAT
146	BRS	216	362/800.ccls. and 362/249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	2	("3540687").PN.	US-PGPUB; USPAT; USOCR
148	BRS	25	("4471415").URPN.	USPAT
149	BRS	4103	(first (wire or lead))and (second (wire or lead)) and (third (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	2356	(light or lamp) string	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
151	BRS	21	S149 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	4736	(first (wire or lead))and (second (wire or lead)) and ((third or common) (wire or lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	BRS	821	(first (wire or lead))and (second (wire or lead)) and ((third or common) with (wire or lead) with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
154	BRS	3	S153 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	BRS	5	("3968355" | "4717350" | "5371441" | "6132257" | "6190207").PN.	US-PGPUB; USPAT; USOCR
156	BRS	0	("6869313").URPN.	USPAT
157	BRS	0	"gibboney-james-w-$in."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	0	"gibboney-james-w-$.in."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	0	gibboney-james-"Jr.""in."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	14	Gibboney-james-$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	IS&R	16	((("6,461019") or ("6,344,716") or ("6,265,234") or ("6,160,948") or ("6,053,628") or ("5,639,157") or ("5,558,422") or ("5,495,147") or ("5,363,470") or ("5,313,187") or ("5,300,864") or ("5,226,709") or ("5,104,608") or ("4,780,798") or ("4,777,571") or ("4,675,575") or ("3,564,233")).PN.	USPAT
162	IS&R	0	("interrupt$4withcurrentwithlongerwithdurationwithvoltagewithhigher").PN.	USPAT
163	BRS	2	interrupt$4 with current with longer with duration with voltage with higher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
164	BRS	1	interrupt$4 with current with shorter with duration with voltage with lower	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	1	S163 and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
166	BRS	2	((interrupt$4 with current) with longer with duration) same (voltage with higher)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	BRS	1	S166 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
168	IS&R	1	("5495147").PN.	USPAT
169	BRS	3	("4675575" | "5300864" | "5313187").PN.	US-PGPUB; USPAT; USOCR
170	BRS	0	S165 and S162 and "4675575".pn.	US-PGPUB; USPAT; USOCR
171	BRS	5	((interrupt$4 with current) with shorter with duration) same (voltage with lower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB